

Baldwin, Edward

①

From: Ehlenberger, Robert G <robert.ehlenberger@amecfw.com>
Sent: Tuesday, March 31, 2015 10:35 AM
To: Rice, Scott; Rwertz@carrduff.com
Subject: Call in Number for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill
Attachments: removed.txt

Hi,

Please call into my conference line so that the three of us can discuss the project.

Call in time is 11:00 as requested below.

Use (b) (6), access code (b) (6).

Thanks,

Bob

From: Ehlenberger, Robert G
Sent: Tuesday, March 31, 2015 10:25 AM
To: 'Rice, Scott'
Cc: Rwertz@carrduff.com
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

That works for me. I will send a call in number in a separate e-mail in a few minutes.

Bob

From: Rice, Scott [<mailto:Rice.Scott@epa.gov>]
Sent: Tuesday, March 31, 2015 9:16 AM
To: Ehlenberger, Robert G
Cc: Rwertz@carrduff.com
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Bob, how is today at 11:00?

From: Ehlenberger, Robert G [<mailto:robert.ehlenberger@amecfw.com>]
Sent: Monday, March 30, 2015 2:25 PM
To: Rice, Scott
Cc: Rwertz@carrduff.com
Subject: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

We are working with Carr & Duff on the August 2014 spill of several ounces of PCB-containing fluid at Strawberry Mansion High School in Philadelphia during removal of two existing transformers at the school. Carr & Duff was the company conducting the transformer removal at the site.

To refresh your memory, this is the spill that Keith Choper of Keating reported to you by phone. He followed up with a subsequent e-mail confirming a remedial procedure to be followed at the site. The e-mail was sent by Mr. Choper to you on August 7, 2014 @ 1:50 PM.

We are assisting Carr & Duff with activities subsequent to the encapsulation of the spill area. The encapsulation was also conducted on the 7th of August 2014.

We would like to have a brief call to discuss the response to the spill and discuss our proposed scope of work.


Carr & Duff would like to move this forward quickly. Would it be possible to have a short call (you, me and Rob Wertz of Carr & Duff) at your convenience at some point in the next couple of days?

I look forward to hearing from you.

Bob Ehlenberger
Senior Associate
Unit Manager for Philadelphia Environmental Services

AMEC Environment & Infrastructure, Inc.
Hillcrest I, 751 Arbor Way, Suite 180,
Blue Bell, PA 19422-1951

Office (direct) (b) (6)
Cell (b) (6)



This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. For Canada and the United States: If you believe this is an unsolicited email and do not wish to receive future commercial electronic messages from us, please click unsubscribe@amecfw.com and include "Unsubscribe" in the subject line.

Please click <http://amecfw.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

Baldwin, Edward

2

From: Ehlenberger, Robert G <robert.ehlenberger@amecfw.com>
Sent: Tuesday, March 31, 2015 10:54 AM
To: Robert W
Cc: Rice, Scott
Subject: RE: FW: Call in Number for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill
Attachments: removed.txt

Yes, same call-in number. Talk to you at 1:30.

Bob

From: Robert W [mailto:rwertz20@gmail.com]
Sent: Tuesday, March 31, 2015 10:52 AM
To: Ehlenberger, Robert G
Subject: Re: FW: Call in Number for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Bob,

I got your voicemail, 1:30 will be fine same call in number?

Rob Wertz

(b) (6)

(b) (6)

On Tue, Mar 31, 2015 at 10:37 AM, Ehlenberger, Robert G <robert.ehlenberger@amecfw.com> wrote:

See if this works.....

From: Ehlenberger, Robert G
Sent: Tuesday, March 31, 2015 10:35 AM
To: 'Rice, Scott'; Rwertz@carrduff.com
Subject: Call in Number for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi,

Please call into my conference line so that the three of us can discuss the project.

Call in time is 11:00 as requested below.

Use (b) (6), access code (b) (6).

Thanks,

Bob

From: Ehlenberger, Robert G
Sent: Tuesday, March 31, 2015 10:25 AM
To: 'Rice, Scott'
Cc: Rwertz@carrduff.com
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

That works for me. I will send a call in number in a separate e-mail in a few minutes.

Bob

From: Rice, Scott [<mailto:Rice.Scott@epa.gov>]
Sent: Tuesday, March 31, 2015 9:16 AM
To: Ehlenberger, Robert G
Cc: Rwertz@carrduff.com
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Bob, how is today at 11:00?

From: Ehlenberger, Robert G [<mailto:robert.ehlenberger@amecfw.com>]
Sent: Monday, March 30, 2015 2:25 PM
To: Rice, Scott
Cc: Rwertz@carrduff.com
Subject: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

We are working with Carr & Duff on the August 2014 spill of several ounces of PCB-containing fluid at Strawberry Mansion High School in Philadelphia during removal of two existing transformers at the school. Carr & Duff was the company conducting the transformer removal at the site.

To refresh your memory, this is the spill that Keith Choper of Keating reported to you by phone. He followed up with a subsequent e-mail confirming a remedial procedure to be followed at the site. The e-mail was sent by Mr. Choper to you on August 7, 2014 @ 1:50 PM.

We are assisting Carr & Duff with activities subsequent to the encapsulation of the spill area. The encapsulation was also conducted on the 7th of August 2014.

We would like to have a brief call to discuss the response to the spill and discuss our proposed scope of work.

Carr & Duff would like to move this forward quickly. Would it be possible to have a short call (you, me and Rob Wertz of Carr & Duff) at your convenience at some point in the next couple of days?

I look forward to hearing from you.

Bob Ehlenberger

Senior Associate

Unit Manager for Philadelphia Environmental Services

AMEC Environment & Infrastructure, Inc.

Hillcrest I, 751 Arbor Way, Suite 180,

Blue Bell, PA 19422-1951

Office (direct) (b) (6)

Cell (b) (6)



This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. For Canada and the United States: If you believe this is an unsolicited email and do not wish to receive future commercial electronic messages from us, please click unsubscribe@amecfw.com and include "Unsubscribe" in the subject line.

Please click <http://amecfw.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

Baldwin, Edward

3

From: Rice, Scott
Sent: Tuesday, March 31, 2015 9:16 AM
To: 'Ehlenberger, Robert G'
Cc: 'Rwertz@carrduff.com'
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Bob, how is today at 11:00?

From: Ehlenberger, Robert G [mailto:robert.ehlenberger@amecfw.com]
Sent: Monday, March 30, 2015 2:25 PM
To: Rice, Scott
Cc: Rwertz@carrduff.com
Subject: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

We are working with Carr & Duff on the August 2014 spill of several ounces of PCB-containing fluid at Strawberry Mansion High School in Philadelphia during removal of two existing transformers at the school. Carr & Duff was the company conducting the transformer removal at the site.

To refresh your memory, this is the spill that Keith Choper of Keating reported to you by phone. He followed up with a subsequent e-mail confirming a remedial procedure to be followed at the site. The e-mail was sent by Mr. Choper to you on August 7, 2014 @ 1:50 PM.

We are assisting Carr & Duff with activities subsequent to the encapsulation of the spill area. The encapsulation was also conducted on the 7th of August 2014.

We would like to have a brief call to discuss the response to the spill and discuss our proposed scope of work.

Carr & Duff would like to move this forward quickly. Would it be possible to have a short call (you, me and Rob Wertz of Carr & Duff) at your convenience at some point in the next couple of days?

I look forward to hearing from you.

Bob Ehlenberger
Senior Associate
Unit Manager for Philadelphia Environmental Services

AMEC Environment & Infrastructure, Inc.
Hillcrest I, 751 Arbor Way, Suite 180,
Blue Bell, PA 19422-1951

Office (direct) (b) (6)
Cell (b) (6)



This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. For Canada and the United States: If you believe this is an unsolicited email and do not wish to receive future commercial electronic messages from us, please click unsubscribe@amecfw.com and include "Unsubscribe" in the subject line.

Please click <http://amecfw.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

Baldwin, Edward

④

From: Ehlenberger, Robert G <robert.ehlenberger@amecfw.com>
Sent: Wednesday, August 19, 2015 4:30 PM
To: Rice, Scott
Cc: Rwertz@carrduff.com; mavrigian@wispearl.com
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill
Attachments: removed.txt; Work Plan for Submittal to USEPA for Concrete Sampling in PCB Spill Area.docx

Hi Scott,

Sorry it has been a while in coming, but enclosed is Amec Foster Wheeler's Work Plan for the Concrete Chip sampling at Strawberry Mansion High School, that we discussed in our March 31st conference call. I enclosed our prior e-mail correspondence below to refresh your memory on the project.

If you could please review the attached document (five page focused work plan), and let me know if you have any comments, that would be greatly appreciated.

I believe that Carr & Duff is looking for us to do the sampling on August 27th if at all possible.

Please do not hesitate to call me with any questions you may have.

Thank-you in advance for your time and attention.

Bob Ehlenberger, P.G.

Unit Manager- Philadelphia Site Management Services
Amec Foster Wheeler, Environment & Infrastructure, Inc.
Hillcrest I
751 Arbor Way, Suite 180
Blue Bell, PA

██████████ (direct dial)
(b) (6) ██████████ (cell phone)

From: Rice, Scott [mailto:Rice.Scott@epa.gov]
Sent: Tuesday, March 31, 2015 9:16 AM
To: Ehlenberger, Robert G
Cc: Rwertz@carrduff.com
Subject: RE: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Bob, how is today at 11:00?

From: Ehlenberger, Robert G [mailto:robert.ehlenberger@amecfw.com]
Sent: Monday, March 30, 2015 2:25 PM
To: Rice, Scott
Cc: Rwertz@carrduff.com
Subject: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

We are working with Carr & Duff on the August 2014 spill of several ounces of PCB-containing fluid at Strawberry Mansion High School in Philadelphia during removal of two existing transformers at the school. Carr & Duff was the company conducting the transformer removal at the site.

To refresh your memory, this is the spill that Keith Choper of Keating reported to you by phone. He followed up with a subsequent e-mail confirming a remedial procedure to be followed at the site. The e-mail was sent by Mr. Choper to you on August 7, 2014 @ 1:50 PM.

We are assisting Carr & Duff with activities subsequent to the encapsulation of the spill area. The encapsulation was also conducted on the 7th of August 2014.

We would like to have a brief call to discuss the response to the spill and discuss our proposed scope of work.


Carr & Duff would like to move this forward quickly. Would it be possible to have a short call (you, me and Rob Wertz of Carr & Duff) at your convenience at some point in the next couple of days?

I look forward to hearing from you.

Bob Ehlenberger
Senior Associate
Unit Manager for Philadelphia Environmental Services

AMEC Environment & Infrastructure, Inc.
Hillcrest I, 751 Arbor Way, Suite 180,
Blue Bell, PA 19422-1951

Office (direct) (b) (6)
Cell (b) (6)



This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. For Canada and the United States: If you believe this is an unsolicited email and do not wish to receive future commercial electronic messages from us, please click unsubscribe@amecfw.com and include "Unsubscribe" in the subject line.

Please click <http://amecfw.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

Baldwin, Edward

5

From: Ehlenberger, Robert G <robert.ehlenberger@amecfw.com>
Sent: Monday, March 30, 2015 2:25 PM
To: Rice, Scott
Cc: Rwertz@carrduff.com
Subject: Request for Conference Call regarding Strawberry Mansion HS August 2014 PCB Spill

Hi Scott,

We are working with Carr & Duff on the August 2014 spill of several ounces of PCB-containing fluid at Strawberry Mansion High School in Philadelphia during removal of two existing transformers at the school. Carr & Duff was the company conducting the transformer removal at the site.

To refresh your memory, this is the spill that Keith Choper of Keating reported to you by phone. He followed up with a subsequent e-mail confirming a remedial procedure to be followed at the site. The e-mail was sent by Mr. Choper to you on August 7, 2014 @ 1:50 PM.

We are assisting Carr & Duff with activities subsequent to the encapsulation of the spill area. The encapsulation was also conducted on the 7th of August 2014.

We would like to have a brief call to discuss the response to the spill and discuss our proposed scope of work.

Carr & Duff would like to move this forward quickly. Would it be possible to have a short call (you, me and Rob Wertz of Carr & Duff) at your convenience at some point in the next couple of days?

I look forward to hearing from you.

Bob Ehlenberger
Senior Associate
Unit Manager for Philadelphia Environmental Services

AMEC Environment & Infrastructure, Inc.
Hillcrest I, 751 Arbor Way, Suite 180,
Blue Bell, PA 19422-1951

Office (direct) (b) (6)
Cell (b) (6)



This message is the property of Amec Foster Wheeler plc and/or its subsidiaries and/or affiliates and is intended only for the named recipient(s). Its contents (including any attachments) may be confidential, legally privileged or otherwise protected from disclosure by law. Unauthorised use, copying, distribution or disclosure of any of it may be unlawful and is strictly prohibited. We assume no

responsibility to persons other than the intended named recipient(s) and do not accept liability for any errors or omissions which are a result of email transmission. If you have received this message in error, please notify us immediately by reply email to the sender and confirm that the original message and any attachments and copies have been destroyed and deleted from your system. This disclaimer applies to any and all messages originating from us and set out above. For Canada and the United States: If you believe this is an unsolicited email and do not wish to receive future commercial electronic messages from us, please click unsubscribe@amecfw.com and include "Unsubscribe" in the subject line.

Please click <http://amecfw.com/email-disclaimer> for notices and company information in relation to emails originating in the UK, Italy or France.

Baldwin, Edward

6

From: Bob Ehlenberger <behlenberger@langan.com>
Sent: Wednesday, September 14, 2016 4:30 PM
To: Rice, Scott
Subject: Workplan
Attachments: RAW_09142016.pdf

Hello Scott,

As per our conversation this morning, Langan is herein sending you the Workplan for removal of the impacted concrete from the Transformer Room of the Strawberry Mansion HS in Philadelphia. We have also provided this to the Philadelphia School District for their review and comment.

Please take a look at this and let me know if there are any changes that you would like to see incorporated prior to the beginning of the work (not yet scheduled).

It was great to chat with you this morning, and I really appreciate your position on the Investigation Derived Waste from the concrete sampling.

Bob Ehlenberger
Associate

Direct: (b) (6)

Mobile: (b) (6)

[File Sharing Link](#)

LANGAN

Phone: 215.491.6500 Fax: 215.491.6501
P.O. Box 1569
Doylestown, PA 18901-0219

Shipping Address:
2700 Kelly Road, Suite 200
Warrington, PA 18976-3653

www.langan.com

PENNSYLVANIA NEW JERSEY NEW YORK CONNECTICUT WASHINGTON, DC
VIRGINIA WEST VIRGINIA OHIO FLORIDA TEXAS NORTH DAKOTA CALIFORNIA
ABU DHABI ATHENS DOHA DUBAI ISTANBUL LONDON PANAMA

Langan's goal is to be SAFE (Stay Accident Free Everyday)

This message may contain confidential, proprietary, or privileged information. Confidentiality or privilege is not intended to be waived or lost by erroneous transmission of this message. If you receive this message in error, please notify the sender immediately by return email and delete this message from your system. Disclosure, use, distribution, or copying of a message or any of its attachments by anyone other than the intended recipient is strictly prohibited.